

RT-1M10C

Electric Filament Tape

Product Description

- Adhesive tape with reinforced backing
- Ideal electrical insulating product
- Polyester film with glass filament reinforcement
- Excellent heat resistance
- Superior tensile strength and adhesion
- High electrical strength
- Very resistant to ageing



Alternative to PS 30, WET 247, PR 30 etc

Main Application

- Primarily use for small power transformers and also applicable in oil filled distribution transformers
- Resistant to the solvent of vapor phase drying
- Engineered for use as construction tape for various holding and banding function as for fixing the insulation paper or pressboard at the transformer A10windings production
- Wire insulation reinforcement

Struct

*Backing:	Polyester film	*Adhesive:	Thermosetting Acrylic Adhesive
*Color:	Transparent	*Reinforcemen	Mono-directional continuous glass yarn

Typical Physical Properties

Note: The following technical information and data should be considered representative or typical only, and should not be used for specification purposes.

Typical Physical Properties

Total Thickness:	0.175 mm	6.9 mil	ASTM D-3652	
Adhesion to Steel:	16 N/25mm	58 oz/ in	ASTM D-3330	
Tensile strength:	1,400 N/25mm	315 lbs/in	57.14 kg/cm	ASTM D-3759
Elongation at Break:	3~5%		ASTM D-3759	
Breakdown Voltage	5.5 KV			
Temperature Class	155°C (F)			

Storage Conditions

Store behind present stock. Store in a clean, dry place. Temperature of 4~26 °C (40~80 °F) and 40~50% relative humidity are recommended. Rotate your stock.

Rudder(xiamen) Industrial Co.,Ltd.

#316, No 56 Yibin North Road, 361000,
Xiamen Area of China (Fujian) Pilot Free Trade Zone.

E: info@ruddertape.com
Website: www.ruddertape.com

Rudder Tape prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommends are provided to the best of our knowledge on the basis of our practical experience. Nevertheless R.T can make no warranties, express or implied, including, but no limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the R.T products is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our staff will be glad to advise you.