

RT-8048

General Cellulose Based Packing Tape

Product Description

RT-8048 is a general Cellulose based Packing Tape which is bio-degradable tape, backing with Cellulose film, coated by Pressure Sensitive Hot Melt Adhesive. It's designed to be alternative to general bopp packing tape.

Main Application

- * box sealing
- * splicing
- * other packaging applications

Construction

*Backing: 28 mic Cellulose film

*Backing Color: Transparent Adhesive Pressure Sensitive Hot Melt Adhesive

Typical Physical Properties

Note: The following technical information and data should be considered representative or typical only, and should not be used for specification purposes. Test before massive using is recommended.

Typical Physical Properties

Total Thickness:	48	mic	1.9	mil	ASTM D-3652
Backing Thickness	28	mic			ASTM D-3652
Adhesive per SQM	20	gr/m ²			ASTM D-3652
Holding Power on Steel	≥ 48	hours			ASTM D-3654
180° Peel Adhesion	16.5±0.2N /inch				ASTM D-3330
Elongation at break	17	%			

Storage Conditions

Store behind present stock. Store in a clean, dry place. Temperature of 4~26 °C (40~80°F) and 40~50% relative humidity are recommended. Rotate your stock.

[Rudder\(Xiamen\) Industrial Co.,Ltd.](#)

E: sales@ruddertape.com
Website: www.ruddertape.com

Rudder Tape prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommends are provided to the best of our knowledge on the basis of our practical experience. Nevertheless R.T can make no warranties, express or implied, including, but no limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the R.T products is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our staff will be glad to advise you.